THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 18th November 1937, published under Article 141 of the Articles of Association.

Liabilities	Rs.	Assets	Rs.
To Capital Receipts	20,00,000	By Cash in hand and at Bankers	45,30,267
„ Reserve Fund	25,00,000	„ Loans and Cash Credit Accounts	164,92,990
„ Public and other Deposits	265,30,092	„ Bills discounted	112,97,345
„ Sundries	5,02,746	„ Investments	83,61,576
		„ Balance at Agencies	
		„ Dead Stock	7,33,226
		„ Sundries	1,17,434
Total	315,32,838	Total	315,32,838

(Annas and pies omitted.)

BANGALORE,
Dated 22nd November 1937.

F. L. PERADON,
Manager.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Memo No. G.2 C. 199—37, *dated 22nd November* 1937.

Police Constable No. 106, Veerabhadrappa of Hassan District is permitted to change his name as Veerabhadregowda.

F. A. HAMILTON,
Inspector-General of Police.

I have changed my name from K. Abdul Khader to Khazi Abdul Khader Fiaz.

K. ABDUL KHADER, *II Year, V.T.C. Class, Training College, Mysore.*

I have changed my name from K. Mohamed Burhan to K. M. Burhan Khan.

K. MOHAMED BURHAN, *II Year, V.T.C. Class, Training College, Mysore.*

I have changed my name from Mohamed Dastagir Sabi to M. A. Mohamed Dastagir.

MOHAMED DASTAGIR SABI, *II Year, V.T.C. Class, Training College, Mysore.*

I have changed my name from R. Appasamy to B. R. Appaswamaiya.

R. APPASAMY, *II Year, V.T.C. Class, Training College, Mysore.*

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 8408-24, *dated 17th November* 1937.

To

The Firms dealing in Apparatus and Chemicals.

Enquiry No. 2544.

APPARATUS AND CHEMICALS REQUIRED FOR THE MEDICAL COLLEGE, MYSORE.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Mysore, and the earliest time of delivery for the materials described in the schedule given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Apparatus and Chemicals required for the Medical College," with the above Enquiry Number.

This enquiry will be closed on the 25th December 1937.

Schedule.

List No. MC. 3-A—37-38.

Sl. No.	*Particulars*	*Quantity*
1	Formalin	250 lbs.
2	Glycerine (Pyramid Brand)	250 gal.
3	Pot. Carbonas	25 lbs.
4	Acid Carbolic	5 "
5	White Arsenic	25 "
6	Red Lead	25 "
7	Thymol	2 "
8	Ether	3 "
9	Chloroform	5 lbs.
10	Zylol	10 "
11	Starch	1 "
12	Crude Groundnut Oil	12 lbs.
13	Plaster of Paris	5 "
14	Bees Wax	5 "
15	Paraffin 56° C	5 "
16	Zinc Oxide	5 "
17	Gelatine (No. 1)	1 gal.
18	Hydrogen Per Oxide (Commercial)	10 lbs.
19	Corn Starch	
20	Talcum	

List No. MC. 15-PA—37-38.

Sl. No.	*Particulars*	*Quantity*
1	Sphygmomanometer (Erkameter)	1
2	Conical Flasks, Pyrex 100 c c. capacity for Maclean's Blood Sugar Analysis	6
3	Perforated Rubber stoppers, fitting into the above (Item 2)	6
4	Simple pipettes fitting into the stoppers 5" long	6
5	Cover Glass round No. 1, 22 mm 0·13 to 0·17 mm thick	1 oz.
6	Cover Glass No. 1 square ⅞" square	
7	Graduated glass cylinders, graduated in c.c. 100 c.c. capacity	2
8	Graduated pipettes, Mohr's 1 c.c. in 1–100 c.c.	6
9	Graduated pipettes Mohr's 10 c.c. in 1–10 c.c.	6
10	Maclean's Blood Sugar Analysis Pipettes :—	
	2·8 c.c.	3
	1 c.c.	3
	0·2 c.c.	6

List No. MC. 4-M—37-38.

Reference :—Catalogue of Bombay Surgical Co., Bombay.

Cat. No.	*Particulars*	*Quantity*
71641	Stoppered glass bottles 1 oz. capacity	12
5946	Drop Bottles, 2 oz. capacity white 6, blue 6	12
6744	Centrifuge Tubes, spare	6
6760	H55 Brillian Cresyl Blue	10 gms.
6765	1¾"×1" Micro-slides	½ gross.
6766	Hanging drop slides	
6767	Cover slips ¾	
6778	Glass Pencils Red 2, Blue 2	
6781A	R.B.C. Pipette	
6781C	Hæmocytometer Cover Glass	
6787	Counting Chamber, Thoma German make	

Cat. No.	Particulars	Quantity
6793	Talquist's Scale, 50 page book	1
6809	Test Tubes 5" long, ⅝ Diameter	1 gross.
6811	Test Tube Brushes	2
6813	Urinometer Trial jar, spare, 2 oz. capacity	2
6800	Carwardin's Saccharimeter	1 set.
6842	Wright's Blood Capsules	2 doz.
6846	Burette support	2
7114B	Spare Nipples, Red	2 doz.
7164	Reagent Bottles, 8 oz. capacity	6 "
6515	Original Record Tuberculin Syringe 1c.c.	1
6556	Intradermal needles, nettle top to fit above	3
7235	Filter paper 5" diameter in packet of 100	1 pkt.
7261	Pinchcock (tube clip) Hoffman's nickelled with regulating screw	4
	Methyl Red (Spirit Soluble)	1 oz.
	Potassium dihydrogen phosphate (analytical)	8 "
	Soya beans, powder	1 lb.
	Toluene Purified	1 "
	Pot. carb. anhydrous	1 "
1411–5	Dudgeon's Sphygmograph extra wide, with symond's pen point fitted with Mackenzie's Clinical Polygraph and time marker	1 set.
	Paper for the above	100
1455–2	Maclean's Blood : Sugar Apparatus complete with reagents	1 set.
1453–1	Calcium in blood. Estimation Bell's Pipette, with 12 capsules	1 "
1453–4	Reagents : Oxalic acid 1/30 aqueous	1 bottle.
	Acetic acid 1 % 95 parts, Glycerine 5 parts	1 "
1390–9	Eve's Quantitative sensation tester	1

List No. MC–OS—37-38.

Reference :—Messrs. Down Bros. Catalogue.

Cat. No.	Particulars	Quantity
12–4	Liston's Amputation Knife 5"	2
12–4	Liston's Amputation Knife 8"	2
13–2	Syme's Joint Knife 3½"	3
15–1	Amputation Saw 9" blade	3
15–4	Small amputation saw with movable back 7"	2
16–2	Finger Saw	2
16–5	Metacarpel Saw	1
52–4	Czerny's double ended retractors, Stainless	2 prs.
57–4	Plain metal retractor 1" wide, copper N.P.	4 "
56–5	Morris' retractors, 2" wide, stainless steel	1 pair.
79–8	Syme's aneurysm needle, stainless steel	6
79–1	Aneurysm needle curved to right, steel	2
79–2	Do curved to left, steel	1
80–1	Do Large curve	2
80–3	Curved sharp bistoury	2
80–4	Straight Probe bistoury	2
81–6	Hernia Bistoury, Cooper's curved	2
81–1	Single Blunt Hook, stainless steel	2
81–2	Double blunt hooks, Stainless steel	4 pairs.
81–3	Sharp Hook, stainless steel	2
84–6	Blunt pointed tenotomy knife	2
84–7	Sharp pointed tenotomy knife	2
91–2	Probe pointed director with raspatory stainless	2
103–4	Hernia director, Key's stainless steel	2
104–10	Kocher's hernia forceps, stainless steel	1
105–4	Macewen Hernia needle, stainless steel	2 pairs.
116–14	Fine pointed scissors, stainless steel 5"	4
113–4	Curved on Flat Scissors 6", stainless steel	2
116–8	Straight blunt pointed scissors 6", stainless steel	2
116–9	Straight blunt pointed scissors 7", stainless steel	1
121–3a-c	Three sizes Volkman's long oval spoon's, stainless steel	1 set.
129–2	Three sizes Macewen's Chisels 5–16", 7–16", and 9–16"	1 "
130–10	Three sizes St. Thomas' Pattern gauges with rounded ends ¼", ⅜" and ½"	1 "

Cat. No.	Particulars	Quantity
136–5	Resection Knife, Nelaton's Convex Edge	1
144–7	Doyen's rib raspatory, adults size, stainless steel	1
146–1	Farbeuf's straight periosteal elevator, stainless steel	12
146–2	Farbeuf's curved rugine, stainless steel	1
149–7	Wood's Jaw saw, 2¼" Blade	1
188–4	Horsley's dura mater elevator, stainless steel	1
190–2	De Villbiss' gouge forceps, stainless steel	1
200–3	Hey's Skull Saw	2
200–7	Gigli's Saw 50 cms. long	2
201–6	Director and Guide for Gigli's Saw	2
208–2	Horseley's trephine, ½" with metal handle, stainless steel (½" Dia. Oval ¾")	3 each
295–5	Cushing's needleholder stainless steel	1
456–3–5	Parker's tracheotomy tubes with pilots, 3 sizes	1 set.
458–1	Caiger's tracheotomy dilating forceps	1
462–2	Butlin's laryngotomy tubes with pilots	set.
997–1	Vulsellum Forceps with rack 9½"	1
1105–3	Doyen's intestinal clamps 8"	2 pairs.
1382–1	Mason's Mouth-gag, stainless steel	1
1351–3	Guy's pattern tongue forceps, stainless steel	1
196–4	Probe graduated in mm	2
205–2	Spinal needles 18 and 20 Gauge	6
206–6	D'Este Emery's double-way stop cock	1
230–2	Ballance's Gouge ½" straight	1
230–4	Ballance's Gouge ¼" curved	1
231–6	Stakes Guide	1
622–2	Krause's trocar for antrum of highmole with blunt pilot and tubing mount 16 fr. gauge	1
708–6	Eye enudeation scissors, curved on flat with short shanks 1¼"	1
812–4	Syme's staff No. 3 size, English Gauge	1
813–2	Teale's Gorget	1
813–4	Wheelhouse's staff	1
813–4	Wheelhouse's director, fine with bulb point	1
148–1	Chain saw with guide and handles	6
23–10	Kocher's Hæmostatic forceps 6½"	12
26–3	Carmalt-Peans Hæmostatic curved forceps 5½"	12
33–10	Toothed Tissue Dissecting forceps 5"	6
126–2	Liston's bone forceps straight 8"	2
	Luer Bone Rongeur	1
137–3	Farbeuf's Bone holding forceps	1
	Ferguson's Lion-jaw forceps	1
1177–4 and 7	Incisor, Cuspid and bicuspid Root forceps	1 each
1176–2	Lower molar forceps, right	1
1176–3	Lower molar forceps, left	1
1175–6	Upper molar forceps, right	1
1175–7	Upper molar foreceps, left	1

List No. MC. 15-PA.—37-38.

Reference:—Ernst Leitz Inhaber: Franz Bergmann—Price List No. 35A.

Cat. Nos.	Particulars	Quantity
5306	Museum Jars, Rectangular, with ground on sheet glass cover, unpolished.	

No.	Outer Height	Inner Width	Inner Thickness
6	90 mm	70 mm	30 mm
7	90 mm	70 mm	70 mm
29	150 mm	150 mm	100 mm
46	200 mm	140 mm	60 mm
47	200 mm	160 mm	80 mm
59	220 mm	160 mm	100 mm
71	250 mm	190 mm	90 mm
73	250 mm	250 mm	150 mm
82	260 mm	180 mm	100 mm
88	270 mm	160 mm	120 mm
106	300 mm	170 mm	300 mm

5307 Flat museum jars as the former unpolished.

187	180 mm	120 mm	50 mm	..	2

5311 Museum jars round with foot and rim and plate glass cover ground.

296	220 mm	100 mm diameter	.. ..	2
303	300 mm	80 mm	.. ..	2
313	400 mm	200 mm	.. ..	1

No. S. P. C. 10627-46, dated 15th November 1937.

To

The Firms dealing in Electric Materials.

Enquiry No. 2581.

ELECTRICAL MATERIALS REQUIRED IN CONNECTION WITH THE ELECTRIFICATION OF DAVANGERE TOWN.

GENTLEMEN,

Please be good enough to intimate your best present day prices and the earliest time of delivery for the materials described below:—

Serial No.	Particulars	Quantity	F. O. R. Davangere	
			Rate per unit	Price the lot
	B. ELECTRICAL MATERIALS.			
1	Tapes Cambric ½"	100 rolls		
2	Do Linen ½"	150 „		
3	Do Acme ½"	250 „		
4	Terminals copper for 1/0 wire	100 Nos.		
5	Do for No. 4 E. & S. wire ..	100 „		
6	Glass jars for Le'clanche Cells ..	1 Doz.		
7	Porous pots for the above	1 „		
8	Zinc rods for above	1 „		
9	Switches D.P.S.T. 30-amps., 600-volts on slate base, with fuse arrangement	25 Nos.		
10	Do 60-amps. do ..	6 „		
11	Switches T. P. S. T. 30-amps. do ..	30 „		
12	Do 100-amps. do ..	12 „		
13	Do 200-amps. do ..	12 „		
14	Wire, Varnished Cambric or V.I.R. insulated No. 14 B. & S., for 600-volts pressure ..	10,000 Ft.		
15	Do No. 12 B. & S., do ..	10,000 „		
16	Do No. 10 B. & S., do ..	2,000 „		
17	Do No. 6 B. & S., do ..	2,000 „		
18	Flexible Cord, twin art-silk, 23/36	1,000 „		
19	Ivanhoe Trojan fittings 14" complete with canopy, pendent, etc.	12 Nos.		
20	Polished Brass swan-necked lamp brackets, 12" ..	2 Doz.		
21	Bakelite Lamp-holders, B-C., C.G., with shade carrier ring	50 Nos.		
22	Bakelite lamp-holders ⅝" do	50 „		
23	Goliath Screw heavy-brass Ventilated Holders ..	25 „		
24	All-insulated Bakelite Switches, 5-amps. ..	100 „		
25	Bakelite Ceiling Roses, 5-amps. ..	100 „		
26	Bow Cut-outs, 5-amps.	50 „		
27	Combined wall-plugs, with switches, bakelite, 5-amps.	25 „		
28	Switches, iron-clad, D.P.S.T., 250-volts, 15-amps with fuses	25 „		

Serial No.	Particulars	Quantity	F. O. R. Davangere	
			Rate per unit	Price the lot
29	G.E. renewable fuse-plug casings 250-volts, 30 amps.	3,500 Nos.		
30	Do do 10-amps	1,000 „		
31	Fuse Plug Cut-outs, double-pole, 30-amps., G.E. Cat. No. 62965	1,500 „		
32	Fuse Cartridges 10-amps.	1,000 „		
33	Do 20-amps.	500 „		
34	Do 30-amps.	500 „		
35	Electric Lamps, M.F., B.C., Vacuum, 220 to 225 volts, 40-watts	250 „		
36	Electric Lamps, M.F., B.C., gas-filled, 220/225 volts, 60-watts, Pearl	250 „		
37	Do do 100-watts do ..	100 „		
38	Electric Lamps, G.E.S. cap, gas-filled, 230-volts, 500-watts, clear	25 „		
39	Fuse-wire of alloyed lead, 3-amps.	5 lbs.		
40	Do do 5-amps.	5 „		
41	Do do 10-amps.	5 „		
42	Do do 25-amps.	2 „		
43	Do do 30-amps.	2 „		
44	Green and White Opal Shades 10″×5″ ..	50 Nos.		
45	Cast-iron Water-Tight Fittings of the best English or American make, complete with reflector, well-glass, etc., size of reflector 10″ ..	25 „		
46	Muriatic Acid	5 lbs.		

The lot prices for each item for delivery f.o.r., Davangere, should be noted in your tender in addition to the unit price.

Your quotation should reach this office on or before the 11th of December 1937.

No. S. P. C. 10647-66, dated 15th November 1937.

To

The Firms dealing in Hardware Materials.

Enquiry No. 2582.

HARDWARE MATERIALS REQUIRED IN CONNECTION WITH THE ELECTRIFICATION OF DAVANGERE TOWN.

GENTLEMEN,

Please be good enough to intimate you best present day prices and the earliest time of delivery for the materials described below:—

Serial No.	Particulars	Quantity	F. O. R. Davangere	
			Rate per unit	Price the lot
	A. HARDWARE MATERIALS.			
1	No. 8 B.W.G. Galvanized iron wire, 390 lbs., per mile approximately, and breaking strength of not less than 1,170 lbs., in coils of 1 Cwt., each	10 Cwts.		

Serial No.	Particulars	Quantity	F. O. R. Davangere	
			Rate per unit	Price the lot
2	Bolts and Nuts, Iron, Hexagonal-head, 2″×¼″ ..	2,500 Nos.		
3	Do 1″×⅜″	100 „		
4	Do 1½″×⅜″	100 „		
5	Do 2″×⅜″	100 „		
6	Do 3″×⅜″	200 „		
7	Do 1½″×½″	12,000 „		
8	Do 2″×½″	1,000 „		
9	Do 2½″×½″	250 „		
10	Do 3″×½″	500 „		
11	Do 4″×½″	250 „		
12	Do 5½″×½″	2,000 „		
13	Do 6″×½″	1,000 „		
14	Bolts and Nuts, Galvanized 1″×¼″	2 Gross		
15	Do do 1½″×¼″	1 „		
16	Do do 2″×¼″	2 „		
17	Brushes lettering 1–16″	2 Doz.		
18	Do ⅛″	3 „		
19	Tar Brushes	2 „		
20	Cheese Cloth (about 27″ wide and 23–24 yds. per piece)	6 Pieces		
21	Chalk Powder	25 Lbs.		
22	Chalk pieces	1 Gross		
23	Soldering Paste	20 Lbs.		
24	Tin Ingots, pure Penang	1 Cwt.		
25	Copper Tubes ½″ diar. internal, ⅛″ thick, in standard lengths	200 R.ft.		
26	Do ¾″ diar. do	300 „		
27	Copper sheets ⅛″ thick, 4′×4′	5 Sheets		
28	Angle Iron 2″×2″, ¼″ in standard lengths of 18 ft.	10 Lengths		
29	Do 3″×3″×⅜″ do	6 „		
30	Channel Iron 4″×2″ in 18 ft. lengths	4 „		

The lot prices for each item for delivery f.o.r., Davangere, should be noted in your tender in addition to the unit price.

Your quotation should reach this office on or before the 10th of December 1937.

No. S. P. C. 10737-43, dated 15th November 1937.

To

The Firms dealing in Pressure Filters.

Enquiry No. 2586.

PRESSURE FILTERS REQUIRED FOR KRISHNARAJANAGAR WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r. Krishnarajnagar, Mysore Railways, and the earliest time of delivery for the pressure filters described below :—

Pressure Filters.

The filter should be of the pressure type capable of being intercepted on the delivery main of the pump discharging water against a head of 300′.

The filter should be of the sectional wash type to ensure proper cleaning of the whole sand bed. It should be provided with a sight glass so that the condition of the filtered and raw water can be seen at any moment.

The filter should be capable of dealing with 3,000 gallons of raw water per hour and the head absorbed in filtration should be specified.

The shell should be of rivetted steel plates which can stand a working pressure of 300′ and should be mounted on bed plates which can easily be fixed on concrete foundation.

The filter should be provided with the necessary gauges to indicate the loss of head and with taps from which sample of water can be taken for analysis.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotation for Pressure Filters required for Krishnarajnagar Water Works" with the above enquiry number.

This enquiry will be closed on the 6th December 1937.

No. S. P. C. 10744-74 *dated* 15*th November* 1937.

To

The Firms dealing in Oil Engine Pumping Sets.

Enquiry No. 2587.

OIL ENGINE PUMPING SET REQUIRED FOR KRISHNARAJNAGAR WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r. Krishnarajnagar, Mysore Railways, and the earliest time of delivery for the Oil Engine Pumping Set described below :—

Pump.—The pump to be capable of discharging 100 gallons a minute against a head of 300′ from all causes.

The pump should have fast and loose pulleys along with an arrangement for shifting the belt.

If Centrifugal Pump is offered it shuold be of the horizontal split casing type to admit of easy dismantling and inspection.

The pump should be provided with a pressure gauge on the delivery side along with a Glenfield and Kennedy sluice valve and non-return valve, suited to the delivery as well as a foot valve of the size suited to the suction of the pump.

Engine.—The engine should be capable of developing enough power to run the pump at an altitude of 3,000′ and when the atmospheric temperature is 100°F.

The engine should run on diesel oil ordinarily available in the market; and be of the enclosed type. The consumption of fuel oil should be low and should be specified in the quotation.

Necessary spares and a complete set of tools should be provided with the unit.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotation for Oil Engine Pumping Set required for Krishnarajnagar Water Works" with the above enquiry number.

This enquiry will be closed on the 6th December 1937.

No. S. P. C. 11226-35, *dated* 15*th November* 1937.

To

The Firms dealing in Sanitary Fittings.

Enquiry No. 2590.

SANITARY FITTINGS TO THE HOSPITALS AT CHINTAMANI.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Chintamani, and the earliest time of delivery for the materials described below :—

1. White porcelain Hindustan Closet P. trap, 3 gallon C.I. flushing cistern with chain and pull, Telescope flush pipe and one pair of marble foot rests complete set 6

2. Surgeon lavatory of size not less than 30″×22″ with elbow action tap with brackets, etc., set complete 1
3. White porcelain lavatory Basin 25″×19″ over-all waste union plugs and chain with one single cold cock at centre and C.I. brackets complete 4
4. 1″ Diameter nickel plated Towel Rail 18″ long 5
5. 24″×18″ Cut-glass mirror with white frame 2

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted of failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sanitary Fittings to the Hospitals at Chintamani", with the above enquiry Number.

This enquiry will be closed on the 6th December 1937.

No. S. P. C. 11403-22, dated 16th November 1937.

To

The Firms dealing in Oil Engines.

Enquiry No. 2591.

CRUDE OIL ENGINES FOR WELL BORING SECTION.

GENTLEMEN,

Please be good enough to intimate your best price for delivery f.o.r., Bangalore and the earliest time of delivery for Two crude Oil Engines as described below :—

Specification of Crude Oil Engine.

1. Brake horse power .. .. 14 to 16.
2. Revolutions per minute .. .. 400 to 500 (Low revolutions preferred).
3. Type .. .. Horizontal, single cylinder, cold starting.
4. The engine should have an external crank shaft on either side of the engine. The extension on either side of the engine should be 16 inches long beyond the fly wheel.
5. *Special features.*—Manufacturers' certificate regarding fuel consumption, lubrication, efficiency, etc., should be given with the quotation.
6. *Delivery.*—F. O. R., Bangalore City Railway Station. Time required for delivery, etc. should be specified.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Crude Oil Engines for Well Boring Section", with the above enquiry Number.

This enquiry will be closed on the 20th December 1937.

No. S. P. C. 11348-84, *dated* 16*th November* 1937.

To

The Firms dealing in Wires and Cables.

Enquiry No. 2594.

INSULATED WIRES AND CABLES REQUIRED FOR USE IN KRISHNARAJSAGAR DIVISION.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials noted below :—

Serial No.	Particulars of materials	Unit	Quantity	F. O. R. Belagola lot
1	Insulated three core cable No. 6 B. and S. 7/·064 stranded, vulcanized, rubber insulated, rounded and double braided	R.ft.	150	
2	Henly cable twin conductor, lead covered flat No. 10 B. and S. 7/.036 V.I.R. insulated for 500 volts with binding conductor	,,	600	
3	Henly cable twin conductor lead covered No. 12 B. and S. 7/·029 insulated for 500 volts with binding conductor	,,	600	
4	Insulated wire No. 8 B. and S. 7/·044 H.T.V.C.S.C. insulated for 5,000 volts	,,	600	
5	Insulated wire No. 8 B. and S. 7/.044 L.T.V.I.R. insulated for 500 volts	,,	600	
6	Insulated wire No. 6 B. and S. 7/·064 V.C.S.C. insulated for 5,000 volts (H.T.)	,,	300	
7	Insulated wire No. 2 B. and S. 7/·064, L.T.V.I.R. insulated for 500 volts	,,	600	
8	Insulated wire No. 2 B. and S. 19/·064, stranded rubber insulated for 600 volts circuit L.T.	,,	600	
9	Insulated wire No. 10 B. and S. H.T.V.C.S.C. 7/·036 insulated for 5,000 volts	,,	300	
10	Insulated wire No. 10 B. and S. L.T. 7/·036 V.I.R. insulated or (varnish cambric insulated) for 500 volts	,,	1,000	
11	Insulated wire No. 14 B. and S. 3/·036 rubber insulated for 500 volts circuit	,,	3,500	
12	Silk or cotton flexible twin conductor twisted V.T.R. insulated for 300 volts green or morden colour 40 to 70/·0076	,,	900	
13	Insulated wire No. 4 B. and S. 19/·044 V.I.R. insulated for 500 volts	,,	300	

The prices to be quoted should be for delivery f.o.r., Belagola, Mysore Railways.
Your quotation should reach this office on or before the 10th December 1937.

No. S. P. C. 11326-37, *dated* 16*th November* 1937.

To

The Firms dealing in Maps and Charts.

Enquiry No. 2596.

CONTRACT FOR THE SUPPLY OF MAPS DURING THE YEAR 1937-38.

GENTLEMEN,

Please be good enough to intimate your best prices for the supply of maps described in the schedule given below.

Tenderers should bind themselves to abide by the following conditions :—

(1) The price you quote should hold good for a period of one year from the date the contract is let.

(2) No enhancement in the prices accepted will be allowed during the period of contract.

(3) The Stores Purchase Committee do not bind themselves to purchase any definite number. The actual requirements of all the schools should be supplied.

(4) The indents of the Educational Officers should be complied within two weeks after their receipt.

(5) The prices to be quoted should be for free delivery on rails at the different Railway Stations in the State.

(6) The maps should be guaranteed to be of sound manufacture and such as are found to be defective or become unserviceable under normal use during the year, will have to be replaced by sound ones free of cost to us.

(7) The maps to be supplied should be stamped with letters "D.P.I.", without extra cost.

(8) The successful tenderer will be required to execute an agreement and deposit a sum of Rs. 50 as security for the due fulfilment of the contract.

(9) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for the supply of maps with the above enquiry Number."

This enquiry will be closed on the 5th of December 1937.

Item No.	Description of material offered	Rate each for delivery free at different Railway Stations in the State.
	I. Kannada Political Wall Maps on Rollers.	
1	India	
2	World	
3	Asia	
4	Europe	
5	South America	
6	North America	
7	Australia	
8	British Isles	
9	Africa	
10	Map showing Geographical Terms	
11	Globe 6"	
	II. Urdu Political Wall Maps on Rollers :—	
	Mysore	
	India	
	World	
	Asia	
	Europe	
	South America	
	North America	
	Australia	
	Africa	
	British Isles	
	Map showing Geographical Terms	
	Globe 6"	

N.B.—The size of the map offered should be clearly specified in the Quotation, otherwise it will not be considered.

No. S. P. C. 11477-86, *dated* 16*th November* 1937.

To

The Firms dealing in Levelling Instruments.

Enquiry No. 2600.

DUMPY LEVELS FOR CHITALDRUG AND MARKONAHALLI RESERVOIR DIVISIONS.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule given below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditoins :—

Withdrawal from the quotation after it is accepted or failure to make the sulppy within the specified time or according to specification will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a ponalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Dumpy Levels for Chitaldrug and Markonahalli Reservoir Divisions," with the above enquiry Number.

This enquiry will be closed on the 6th December 1937.

Schedule

Item No.	Description of material offered	Quantity	Price quoted f. o. r., Chitaldrug
1	Dumpy Reversible Level 14″ with stand box complete .. With three screw Levelling base having Trivet stage permanently attached. With clamp and slow motion tangent adjustment. Circular compass with Engine divided aluminium ring, reading to half degrees by prism reader. High and low power inverting eye pieces. Glass diaphragm with extra stadia point diaphragm 1: 100 with extractor.	Four	

N.B.—(1) The name of the manufacturers should be clearly specified.
(2) Your quotation should accompany descriptive leaflet of the levels offered.

Item No.	Description of material offered	Quantity	Price quoted f. o. r., Tumkur
1	Dumpy Level, Object Glass 14″ F.L. Aperture 1.5″. Power of Telescope ×28. Pull out diaphragm. (The diaphragm should easily be cleaned and replaced without loss of collimation). Circular bubble let into tribrach to facilitate quick levelling. Foot screws should be of the ball toe type (three screws). Locking plate should be fitted permanently to the instrument. Objectives, eye-pieces, bubbles and diaphragms should be of first class. The instrument should be supplied with necessary accessories including screw driver, adjusting pin and diaphragm extractor and with a polished open frame tripod	One	

N.B.—(1) The names of the manufacturers should be stated.
(2) The illustrative leaflets regarding the levels offered should accompany your quotation.

No. S. P. C. 11529-33, *dated* 16*th November* 1937.

To

The Firms dealing in Teakwood Boats.

Enquiry No. 2601.

TEAKWOOD BOAT.

DEAR SIR–GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teakwood Boat," with the above enquiry Number.

This enquiry will be closed on the 6th December 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Teakwood Boat to be strongly constructed of selected teakwood, wild copper fastenings, 14 feet long and capable of seating 6 to 7 persons	One	Belagola	

N.B.—Detailed specification of the Boat offered together with a dimensioned sketch should be furnished with the quotation.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 11950, *dated* 22*nd November* 1937.

NOTICE.

Enquiry No. 2602.

WEIGHBRIDGE FOR METRE GAUGE SECTION, MYSORE RAILWAYS.

Tenders are being invited in London by the Stores Purchase Committee, Government of Mysore, for one Metre Gauge, 40 ton weighbridge through Messrs. Rendel, Palmer and Tritton, London. The tenders are returnable by the 31st of January 1938.

Firms in India interested in the enquiry are advised to get into touch with Messrs. Rendel, Palmer and Tritton, 55, Broadway, Westminister, London, S.W. 1, for the necessary specifications, drawings and other details and forward their tenders to this office direct to reach us by the above-mentioned date.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.